

**Maarten J. Chrispeels**

**Collected Papers**

**1962-2005**

1. Chrispeels, M.J. and J.B. Hanson. (1962). The increase in ribonucleic acid content of cytoplasmic particulates of soybean hypocotyls, induced by 2,4-dichlorophenoxy-acetic acid. *Weeds* 10:123.
2. Chrispeels, M.J. and A.E. Vatter. (1963). Preservation of the ultrastructure of plant cells using glutaric acid dialdehyde as a fixative. *Nature* 200:711.
3. Chrispeels, M.J. and E.W. Simon. (1964). The isolation of mitochondria from plant tissues. *J. Roy. Microsc. Soc.* 83:271-276.
4. Chrispeels, M.J. (1965). Cytoplasmic differentiation in seedling tissue. Ph.D. Thesis. University of Illinois.
5. Hanson, J.B., C.M. Wilson, M.J. Chrispeels, W.A. Krueger and H.R. Swanson. (1965). Ribonuclease and other factors involved in the respiratory senescence of Maize scutellum. *J. Exp. Bot.* 16:282-293.
6. Chrispeels, M.J., A.E. Vatter and J.B. Hanson. (1965). Morphological development of mitochondria during cell elongation in the root of *Zea mays* seedlings. *J. R. Microsc. Soc.* 85:29-44.
7. Chrispeels, M.J., A.E. Vatter, D.M. Madden and J.B. Hanson. (1966). The structural organization of ribonucleic acid associated with soybean microsomes. *J. Exp. Bot.* 17:492-501.
8. Varner, J.E., G. Ram Chandra and M.J. Chrispeels. (1965). Gibberellic acid controlled synthesis of  $\alpha$ -amylase in barley endosperm. *J. Cell. Comp. Physiol. Suppl. I* 66:55-68.
9. Chrispeels, M.J. and J.E. Varner. (1966). Abscisin II inhibition of gibberellic acid induced formation of  $\alpha$ -amylase. *Nature* 212:1066-1067.
10. Chrispeels, M.J. and J.E. Varner. (1967). Hormonal control of enzyme synthesis: On the mode of action of gibberellic acid and abscisic acid in aleurone layers of barley. *Plant Physiol.* 42:1008-1016.
11. Chrispeels, M.J., R.F. Boyd, L.S. Williams and F.C. Neidhardt. (1968). Modification of valyl tRNA synthetase by bacteriophage in *Escherichia coli*. *J. Mol. Biol.* 31:463-475.
12. Chrispeels, M.J., R.F. Boyd, L.S. Williams and F.C. Neidhardt. (1968). Modification of valyl tRNA synthetase by bacteriophage in *Escherichia coli*. *J. Mol. Biol.* 31:463-475.
13. Sadava, D. and M.J. Chrispeels. (1969). Cell wall protein in plants: Autoradiographic evidence. *Science* 165:299-300.
14. Chrispeels, M.J. (1969). Synthesis and secretion of hydroxyproline containing macromolecules in carrots I. Kinetic analysis. *Plant Physiol.* 44:1187-1193.

15. Chrispeels, M.J. (1970). Synthesis and secretion of hydroxyproline-containing macro-molecules in carrots II. *In vivo* conversion of peptidyl proline to peptidyl hydroxyproline. *Plant Physiol.* 45:223-227.
16. Chrispeels, M.J. (1970). Biosynthesis of cell wall protein: Sequential hydroxylation of proline, glycosylation of hydroxyproline and secretion of the glycoprotein. *Biochem. Biophys. Res. Commun.* 39:732-737.
17. Doerschug, M. and M.J. Chrispeels. (1970). Synthesis and secretion of hydroxyproline-containing macromolecules in carrots III. Metabolic requirements for secretion. *Plant Physiol.* 46:363-366.
18. Sadava, D. and M.J. Chrispeels. (1971). Hydroxyproline biosynthesis in plant cells: peptidyl proline hydroxylase from carrot disks. *Biochim. Biophys. Acta* 227:278-287.
19. Sadava, D. and M.J. Chrispeels. (1971). Intracellular site of proline hydroxylation in plant cells. *Biochemistry* 10:4290-4294.
20. Brysk, M.M. and M.J. Chrispeels. (1972). Isolation and partial characterization of a hydroxyproline-rich cell wall glycoprotein and its cytoplasmic precursor. *Biochim. Biophys. Acta* 257:421-432.
21. Bennett, P.A. and M.J. Chrispeels. (1972). *De novo* synthesis of ribonuclease and B-1,3-glucanase by aleurone cells of barley. *Plant Physiol.* 49:445-447.
22. Chrispeels, M.J. (1972). Failure of colchicine or cytochalasin to inhibit protein secretion by plant cells. *Planta (Berlin)* 108:283-287.
23. Sadava, D., F. Walker and M.J. Chrispeels. (1973). Hydroxyproline-rich cell wall protein (extensin): Biosynthesis and accumulation in growing pea epicotyls. *Dev. Biol.* 30:42-48.
24. Sadava, D. and M.J. Chrispeels. (1973). Hydroxyproline-rich cell wall protein (extensin): Role in the cessation of elongation in excised pea epicotyls. *Dev. Biol.* 30:49-55.
25. Johnson, K.D. and M.J. Chrispeels. (1973). Regulation of pentosan biosynthesis in barley aleurone tissue by gibberellic acid. *Planta* 111:353-364.
26. Chrispeels, M.J., A.J. Tenner and K.D. Johnson. (1973). Synthesis and release of sucrose by the aleurone layer of barley: Regulation by gibberellic acid. *Planta* 113:35-46.
27. Chrispeels, M.J. (1973). Mechanism of osmotic regulation of hydrolase synthesis in aleurone cells of barley: Inhibition of protein synthesis. *Biochem. Biophys. Res. Commun.* 53:99-104.

28. Sadava, D. and M.J. Chrispeels. (1973). The biosynthesis and secretion of hydroxyproline-rich cell wall glycoproteins. In: *Biogenesis of Cell Wall Polysaccharides*. Loewus, F., ed. Academic Press, New York, pp. 165-174.
29. Ericson, M.C. and M.J. Chrispeels. (1973). Isolation and characterization of glucosamine-containing storage glycoproteins from the cotyledons of *Phaseolus aureus*. *Plant Physiol.* 52:98-104.
30. Chrispeels, M.J. and D. Sadava. (1974). Synthesis and secretion of proteins in plant cells: The hydroxyproline-rich glycoprotein of the cell wall. In: *Macromolecules Regulating Growth and Development*. Hay, E.D., T.J. King and J. Papaconstantinou, eds. Academic Press, pp. 131-152.
31. Chrispeels, M.J. and J.E. Varner. (1973). A test for *de novo* synthesis of enzymes in germinating seeds: Density labeling with D<sub>2</sub>O. In: *Molecular Techniques and Approaches in Developmental Biology*. Chrispeels, M.J., ed. John Wiley and Sons, Inc., New York, pp. 79-92.
32. Chrispeels, M.J., D. Sadava and Y.P. Cho. (1974). Enhancement of extensin biosynthesis in aging disks of carrot storage tissue. *J. Exp. Bot.* 25:1157-1166.
33. Gardiner, M. and M.J. Chrispeels. (1975). Involvement of the Golgi apparatus in the synthesis and secretion of hydroxyproline-rich cell wall glycoproteins. *Plant Physiol.* 55:536-541.
34. Chrispeels, M.J. and D. Boulter. (1975). Control of storage protein metabolism in the cotyledons of germinating mung beans: Role of endopeptidase. *Plant Physiol.* 55:1031-1037.
35. Harris, N. and M.J. Chrispeels. (1975). Histochemical and biochemical observations on storage protein metabolism and protein body autolysis in cotyledons of germinating mung beans. *Plant Physiol.* 56:292-299.
36. Cho, Y.P. and M.J. Chrispeels. (1976). Serine-O-galactosyl linkages in glycopeptides from carrot cell walls. *Phytochemistry* 15:165-169.
37. Harris, N., M.J. Chrispeels and D. Boulter. (1975). Biochemical and histochemical studies on protease activity and reserve protein metabolism in the cotyledons of germinating cowpeas (*Vigna unguiculata*). *J. Exp. Bot.* 26:544-554.
38. Lang, W.C. and M.J. Chrispeels. (1976). Biosynthesis and release of cell wall-like glycoproteins during the vegetative cell cycle of *Chlamydomonas reinhardtii*. *Planta* 129:183-189.
39. Chrispeels, M.J. (1976). Biosynthesis, intracellular transport, and secretion of extracellular macromolecules. *Annu. Rev. Plant Physiol.* 27:19-38.

40. Baumgartner, B. and M.J. Chrispeels. (1976). Partial characterization of a protease inhibitor which inhibits the major endopeptidase present in the cotyledons of mung beans. *Plant Physiol.* 58:1-6.
41. Chrispeels, M.J., B. Baumgartner and N. Harris. (1976). Regulation of reserve protein metabolism in the cotyledons of mung bean seedlings. *Proc. Natl. Acad. Sci. USA* 73:3168-3172.
42. Ericson, M.C. and M.J. Chrispeels. (1976). The carbohydrate moiety of mung bean vicilin. *Aust. J. Plant Physiol.* 3:763-769.
43. Dashek, W.V. and M.J. Chrispeels. (1977). Gibberellic-acid-induced synthesis and release of cell-wall-degrading endoxylanase by isolated aleurone layers of barley. *Planta* 134:251-256.
44. Baumgartner, B. and M.J. Chrispeels. (1977). Purification and characterization of vicilin peptidohydrolase, the major endopeptidase in the cotyledons of mung-bean seedlings. *Eur. J. Biochem.* 77:223-233.
45. Chrispeels, M.J. (1977). The role of the endoplasmic reticulum in the biosynthesis and transport of macromolecules in plant cells. In: *International Cell Biology 1976-1977*. Brinkley, B.R. and K.P. Porter, eds. The Rockefeller Press, New York, pp. 284-292.
46. Chrispeels, M.J. and B. Baumgartner. (1978). Serological evidence confirming the assignment of *Phaseolus aureus* and *P. mungo* to the genus *Vigna*. *Phytochemistry* 17:125-126.
47. Chrispeels, M.J. and B. Baumgartner. (1978). Trypsin inhibitor in mung bean cotyledons. Purification, characteristics, subcellular localization and metabolism. *Plant Physiol.* 61:617-623.
48. Bollini, R. and M.J. Chrispeels. (1978). Characterization and subcellular localization of vicilin and phytohemagglutinin, the two major reserve proteins of *Phaseolus vulgaris* L. *Planta* 142:291-298.
49. Baumgartner, B., K.T. Tokuyasu and M.J. Chrispeels. (1978). Localization of vicilin peptidohydrolase in the cotyledons of mung bean seedlings by immunofluorescence microscopy. *J. Cell Biol.* 79:10-19.
50. Kern, R. and M.J. Chrispeels. (1978). The influence of the axis on the enzymes of protein and amide metabolism in the cotyledons of mung bean seedlings. *Plant Physiol.* 62:815-819.
51. Sadava, D. and M.J. Chrispeels. (1978). Synthesis and secretion of cell wall glycoprotein in carrot and root disks. In: *Biochemistry of Wounded Plant Tissues*. Kahl, K., ed. Walter de Gruyter, Berlin, pp. 85-102.

52. Gilkes, N.R., E.M. Herman and M.J. Chrispeels. (1979). Rapid degradation and limited synthesis of phospholipids in the cotyledons of bean seedlings. *Plant Physiol.* 64:38-42.
53. Chrispeels, M.J. and J.E. Varner. (1967). Gibberellic acid-enhanced synthesis and release of  $\alpha$ -amylase and ribonuclease by isolated barley aleurone layers. *Plant Physiol.* 42:398-406. *This Week's Citation Classic, Current Contents, 1979.*
54. Bollini, R. and M.J. Chrispeels. (1979). The rough endoplasmic reticulum is the site of reserve protein synthesis in developing *Phaseolus vulgaris* cotyledons. *Planta* 146:487-501.
55. Chrispeels, M.J., R. Bollini and N.N. Harris. (1979). Biosynthesis, accumulation and catabolism of reserve proteins in legume seeds. *Ber. Deutsch. Bot. Ges.* 92:535-551.
56. Ragster, L. and M.J. Chrispeels. (1979). Azocoll-digesting proteinases in soybean leaves. Characteristics and changes during leaf maturation and senescence. *Plant Physiol.* 64:857-862.
57. Baumgartner, B. and M.J. Chrispeels. (1978). Control of protease formation and reserve protein metabolism in the cotyledons of mung bean seedlings. In: *Seed Proteins of Dicotyledonous Plants*. Muntz, K., ed. Abh. Akad. Wiss. DDR. Abt. Math. Naturwiss. Tech., 1978-4N:115-124.
58. Van der Wilden, W., E.M. Herman and M.J. Chrispeels. (1980). Protein bodies of mung bean cotyledons as autophagic organelles. *Proc. Natl. Acad. Sci. USA* 77:428-432.
59. Gilkes, N. and M.J. Chrispeels. (1980). Endoplasmic reticulum of mung bean cotyledons: accumulation during seed maturation and catabolism during seedling growth. *Plant Physiol.* 65:600-604.
60. Harris, N. and M.J. Chrispeels. (1980). The endoplasmic reticulum of mung bean cotyledons: quantitative morphology of cisternal and tubular ER during seedling growth. *Planta* 148:293-303.
61. Chappell, J., W. Van der Wilden and M.J. Chrispeels. (1980). The biosynthesis of ribonuclease and its accumulation in protein bodies in the cotyledons of mung bean seedlings. *Dev. Biol.* 76:115-125.
62. Gilkes, N. and M.J. Chrispeels. (1980). The endoplasmic of mung bean cotyledons: Biosynthesis during seedling growth. *Planta* 149:361-369.
63. Van der Wilden, W., N. Gilkes and M.J. Chrispeels. (1980). The endoplasmic reticulum of mung bean cotyledons: Role in the accumulation of hydrolases in protein bodies during seedling growth. *Plant Physiol.* 66:390-394.
64. Yoo, B.Y. and M.J. Chrispeels. (1980). The origin of protein bodies in developing soybean cotyledons: A proposal. *Protoplasma* 103:201-204.

65. Herman, E.M. and M.J. Chrispeels. (1980). Characteristics and subcellular localization of phospholipase D and phosphatidic acid phosphatase in mung bean cotyledons. *Plant Physiol.* 66:1001-1007.
66. Chrispeels, M.J. (1980). The endoplasmic reticulum. In: *The Biochemistry of Plants*. Vol. 1. Tolbert, N.E., ed. Academic Press, New York, pp. 389-412.
67. Chrispeels, M.J. and R.L. Jones. (1980). Role of the endoplasmic reticulum in the mobilization of reserve macromolecules during seedling growth. *Isr. J. Bot.* 29:225-245.
68. Baumgartner, B., T.K. Tokuyasu and M.J. Chrispeels. (1980). Immunocytochemical localization of reserve protein in the endoplasmic reticulum of developing bean (*Phaseolus vulgaris*) cotyledons. *Planta* 150:419-425.
69. Ragster, L.E. and M.J. Chrispeels. (1981). Autodigestion in crude extracts of soybean leaves and isolated chloroplasts as a measure of proteolytic activity. *Plant Physiol.* 67:104-109.
70. Ragster, L.E. and M.J. Chrispeels. (1981). Hemoglobin-digesting proteinases in soybean leaves: Characteristics and changes during leaf maturation and senescence. *Plant Physiol.* 67:110-114.
71. Herman, E.M., B. Baumgartner and M.J. Chrispeels. (1981). Uptake and apparent digestion of cytoplasmic organelles by protein bodies (protein storage vacuoles) in mung bean cotyledons. *Eur. J. Cell Biol.* 24:226-235.
72. Chrispeels, M.J., T.J.V. Higgins, S. Craig and D. Spencer. (1982). Role of the endoplasmic reticulum in the synthesis of reserve proteins and the kinetics of their transport to protein bodies in developing pea cotyledons. *J. Cell Biol.* 93:5-14.
73. Chrispeels, M.J., T.J.V. Higgins and D. Spencer. (1982). Assembly of storage protein oligomers in the endoplasmic reticulum, and processing of the polypeptides in the protein bodies of developing pea cotyledons. *J. Cell Biol.* 93:306-313.
74. Bollini, R., W. Van der Wilden and M.J. Chrispeels. (1982). A precursor of the reserve-protein, phaseolin, is transiently associated with the endoplasmic reticulum of developing *Phaseolus vulgaris* cotyledons. *Plant Physiol.* 55:82-92.
75. Chrispeels, M.J. and R. Bollini. (1982). Characteristics of membrane-bound lectin in developing *Phaseolus vulgaris* cotyledons. *Plant Physiol.* 70:1425-1428.
76. Van der Wilden, W. and M.J. Chrispeels. (1983). Characterization of the isozymes of  $\alpha$ -mannosidase located in the cell wall, protein bodies and endoplasmic reticulum of *Phaseolus vulgaris* cotyledons. *Plant Physiol.* 71:82-87.

77. Bollini, R., A. Vitale and M.J. Chrispeels. (1983). *In vivo and in vitro processing of seed reserve protein in the endoplasmic reticulum: Evidence for two glycosylation steps.* J. Cell Biol. 96:999-1007.
78. Chrispeels, M.J. (1983). Incorporation of fucose into the carbohydrate moiety of phytohemagglutinin in developing *Phaseolus vulgaris* cotyledons. Planta 157:454-461.
79. Chrispeels, M.J. (1983). The Golgi apparatus mediates the transport of phytohemagglutinin to the protein bodies in bean cotyledons. Planta 158:140-151.
80. Higgins, T.J.V., P.M. Chandler, D. Spencer, M.J. Chrispeels and G. Zurawski. (1983). The synthesis, processing and primary structure of pea seed lectin. In: *Structure and Function of Plant Genomes*. Ciferri, O. and L. Dure III, eds. Plenum Press, New York, pp. 93-99.
81. Higgins, T.J.V., M.J. Chrispeels, P.M. Chandler and D. Spencer. (1983). Intracellular sites of synthesis and processing of lectin in developing pea cotyledons. Biol. Chem. 258:9550-9552
82. Van der Wilden, W., J.H.L. Segers and M.J. Chrispeels. (1983). Cell walls of *Phaseolus vulgaris* leaves contain the Azocoll-digesting proteinase. Plant Physiol. 73:576-578.
83. Chrispeels, M.J. (1984). Biosynthesis, processing, and transport of storage proteins and lectins in cotyledons of developing legume seeds. Philos. Trans. R. Soc. Lond. [Biol] 304:309-322.
84. Chrispeels, M.J. (1984). Prolyl hydroxylase in plants. In: *Posttranslational modifications. Methods in Enzymology*. Vol. 107, Finn, W. and K. Moldave, eds. Academic Press, Orlando. pp. 361-369.
85. Mäder, M. and M.J. Chrispeels. (1984). Synthesis of an integral protein of the protein-body membrane in *Phaseolus vulgaris* cotyledons. Planta 160:330-340.
86. Vitale, A., T.G. Warner and M.J. Chrispeels. (1984). *Phaseolus vulgaris* phytohemagglutinin contains high-mannose and modified oligosaccharide chains. Planta 160:256-263.
87. Vitale, A., A. Ceriotti, R. Bollini and M.J. Chrispeels. (1984). Biosynthesis and processing of phytohemagglutinin in developing bean cotyledons. Eur. J. Biochem. 141:97-104.
88. Vitale, A. and M.J. Chrispeels. (1984). Transient N-acetylglucosamine in the biosynthesis of phytohemagglutinin: Attachment in the Golgi apparatus and removal in protein bodies. J. Cell Biol. 99:133-140.
89. Development in normal and phytohemagglutinin-deficient cultivars of *Phaseolus vulgaris*. J. Mol. Appl. Genet. 2:525-535.

90. Chrispeels, M.J., A. Vitale and P. Staswick. (1984). Gene expression and synthesis of phytohemagglutinin in the embryonic axes of developing *Phaseolus vulgaris* seeds. *Plant Physiol.* 76:791-796.
91. Greenwood, J., G.A. Keller and M.J. Chrispeels. (1984). Localization of phytohemagglutinin in the embryonic axis of *Phaseolus vulgaris* with ultra-thin cryosections embedded in plastic after indirect immunolabeling. *Planta* 162:548-555.
92. Stinissen, H.M., W.J. Peumans and M.J. Chrispeels. (1984). Subcellular site of lectin synthesis in developing rice embryos. *EMBO J.* 3:1979-1985.
93. Stinissen, H.M., W.J. Peumans and M.J. Chrispeels. (1985). Post-translational processing of proteins in vacuoles and protein bodies is inhibited by monensin. *Plant Physiol.* 77:495-498.
94. Greenwood, J. and M.J. Chrispeels. (1985). Immunocytochemical localization of phaseolin and phytohemagglutinin in the endoplasmic reticulum and Golgi complex of developing bean cotyledons. *Planta* 164:295-302.
95. Herman, E.M., L.M. Shannon and M.J. Chrispeels. (1985). Concanavalin A is synthesized as a glycoprotein precursor. *Planta* 165:23-29.
96. Chrispeels, M. (1985). The role of the Golgi apparatus in the transport and post-translational modification of vacuolar (protein body) proteins. *Oxf. Surv. Plant Mol. Cell Biol.* 2:43-68.
97. Stinissen, H.M., M.J. Chrispeels and W.J. Peumans. (1985). Biosynthesis of lectin in roots of germinating and adult cereal plants. *Planta* 164:278-286.
98. Chrispeels, M.J. and A. Vitale. (1985). Abnormal processing of the modified oligosaccharide sidechains of phytohemagglutinin in the presence of swainsonine and deoxynojirimycin. *Plant Physiol.* 78:704-709.
99. Chrispeels, M.J. (1985). UDP-GlcNAc:glycoprotein GlcNAc-transferase is located in the Golgi apparatus of developing bean cotyledons. *Plant Physiol.* 78:835-838.
100. Faye, L. and M.J. Chrispeels. (1985). Characterization of N-linked oligosaccharides by affinoblotting with concanavalin A-peroxidase and treatment of the blots with glycosidases. *Anal. Biochem.* 145:218-224. 101. Greenwood, J.S. and M.J. Chrispeels. (1985). Correct targeting of the bean storage protein phaseolin in the seeds of transformed tobacco. *Plant Physiol.* 79:65-71.
101. Greenwood, J.S. and M.J. Chrispeels. (1985). Correct targeting of the bean storage protein phaseolin in the seeds of transformed tobacco. *Plant Physiol.* 79:65-71.
102. Greenwood, J.S., H.M. Stinissen, W.J. Peumans and M.J. Chrispeels. (1986). *Sambucus nigra* agglutinin is located in protein bodies in the phloem parenchyma of the bark. *Planta* 167:275-278.

103. Chappell, J. and M.J. Chrispeels. (1986). Transcriptional and posttranscriptional control of phaseolin and phytohemagglutinin gene expression in developing cotyledons of *Phaseolus vulgaris*. *Plant Physiol.* 81:50-54.
104. Sturm, A. and M.J. Chrispeels. (1986). The high mannose oligosaccharide of phytohemagglutinin is attached to Asparagine 12 and the modified oligosaccharide to Asparagine 60. *Plant Physiol.* 81:320-322.
105. Faye, L., K.D. Johnson and M.J. Chrispeels. (1986). Oligosaccharide sidechains of glycoproteins that remain in the high-mannose form are not accessible to glycosidases. *Plant Physiol.* 81:206-211.
106. Staswick, P., J. Chappell, T. Voelker, A. Vitale and M.J. Chrispeels. (1986). Deficient expression of seed lectin genes in a cultivar of *Phaseolus vulgaris*. In: *Molecular Biology of Seed Storage Proteins and Lectins*. Shannon, L.M. and M.J. Chrispeels, eds. Amer. Soc. Plant Physiol., Rockville, MD. pp. 107-115.
107. Herman, E.M., L.M. Shannon and M.J. Chrispeels. (1986). The Golgi apparatus mediates the transport and post-translational modification of protein body proteins. In: *Molecular Biology of Seed Storage Proteins and Lectins*. Shannon, L.M. and M.J. Chrispeels, eds. Amer. Soc. Plant Physiol., Rockville, MD. pp. 163-173.
108. Voelker, T., P. Staswick, B. Tague and M.J. Chrispeels. (1986). The derived amino acid sequence of the seed lectin present in the Pinto UI 111 cultivar of *Phaseolus vulgaris* and a comparison with PHA-E and PHA-L. In: *Lectins, Biology, Biochemistry, Clinical Chemistry*, Vol. 5. Bog-Hansen, T.C. and E. van Driessche, eds. Walter de Gruyter, Berlin. pp. 171-176.
109. Faye, L., J.S. Greenwood and M.J. Chrispeels. (1986). Urease in jack-bean (*Canavalia ensiformis* (L) DC) seeds is a cytosolic protein. *Planta* 168:579-585.
110. Faye, L., A. Sturm, R. Bollini, A. Vitale and M.J. Chrispeels. (1986). The position of the oligosaccharide side-chains of phytohemagglutinin and their accessibility to glycosidases determines their subsequent processing in the Golgi. *Eur. J. Biochem.* 158:655-661.

111. Chrispeels, M.J., P.M. Hartl, A. Sturm and L. Faye. (1986). Characterization of the endoplasmic reticulum-associated precursor of concanavalin A. Partial amino acid sequence and lectin activity. *J. Biol. Chem.* 261:10021-10024.
112. Voelker, T.A., R.Z. Florkiewicz and M.J. Chrispeels. (1986). Secretion of phytohemagglutinin by monkey COS cells. *Eur. J. Cell Biol.* 42:218-223.
113. Voelker, T.A., P. Staswick and M.J. Chrispeels. (1986). Molecular analysis of two phytohemagglutinin genes and their expression in *Phaseolus vulgaris* cv. Pinto, a lectin-deficient cultivar of the bean. *EMBO J.* 5:3075-3082.
114. Faye, L., and M.J. Chrispeels. (1986). Is there a carbohydrate type signal for enzyme targeting to the cell wall? In: *Cell Walls '86*. Vian, B., D. Reis and R. Goldberg, eds. Paris. pp. 48-52.
115. Chrispeels, M.J., L. Faye, A. Sturm and K.D. Johnson. (1987). Are oligosaccharide sidechains necessary for glycoprotein transport or targeting? In: *Plant Membranes: Structures, Function, Biogenesis*, Vol. 63. UCLA Symp. on Mol. Cell. Biol., New Series. Leaver, C. and H. Sze, eds. Alan R. Liss, Inc., New York. pp. 275-287.
116. Faye, L. and M.J. Chrispeels. (1987). Transport and processing of the glycosylated precursor of concanavalin A in jack-bean. *Planta* 170:217-224.
117. Chrispeels, M.J. and J.S. Greenwood. (1987). Heat stress enhances phytohemagglutinin synthesis but inhibits its transport out of the endoplasmic reticulum. *Plant Physiol.* 83:778-784.
118. Peumans, W.J., A.K. Allen, M. Nsimba-Lubaki and M.J. Chrispeels. (1987). Related glycoprotein lectins from root stocks of wild cucumbers. *Phytochem.* 26:909-912.
119. Johnson, K.D. and M.J. Chrispeels. (1987). Substrate specificities of N-acetylglucosaminyl-, fucosyl-, and xylosyl-transferases that modify glycoproteins in the Golgi apparatus of bean cotyledons. *Plant Physiol.* 84:1301-1308.
120. Sturm, A., J.A. Van Kuik, J.F.G. Vliegenthart and M.J. Chrispeels. (1987). Structure, position and biosynthesis of the high mannose and the complex oligosaccharide side chains of the bean storage protein phaseolin. *J. Biol. Chem.* 262:13392-13403.
121. Voelker, T., A. Sturm and M.J. Chrispeels. (1987). Differences in expression between two seed lectin alleles obtained from normal and lectin-deficient beans are maintained in transgenic tobacco. *EMBO J.* 6:3571-3577.

122. Sturm, A., K.D. Johnson, T. Szumilo, A.D. Elbein and M.J. Chrispeels. (1987). Subcellular localization of glycosidases and glycosyltransferases involved in the processing of N-linked oligosaccharides. *Plant Physiol.* 85:741-745.
123. Riggs, C.D. and Chrispeels, M.J. (1987). Luciferase reporter gene cassettes for plant gene expression studies. *Nucl. Acids Res.* 15:8115.
124. Tague, B.W. and M.J. Chrispeels. (1987). The plant vacuolar protein, phytohemagglutinin, is transported to the vacuole of transgenic yeast. *J. Cell Biol.* 105:1971-1979.
125. Faye, L., J.P. Salier and M.J. Chrispeels. (1987). L'empreinte: support pour l'analyse structurale des glycanes des glycoprotéines. *Rev. Inst. Pasteur Lyon* 20:89-102.
126. Faye, L., J.S. Greenwood, E.M. Herman, A. Sturm and M.J. Chrispeels. (1988). Transport and posttranslational processing of the vacuolar enzyme  $\alpha$ -mannosidase in jack-bean cotyledons. *Planta* 174:271-282.
127. Sturm, A., T.A. Voelker, E.M. Herman and M.J. Chrispeels. (1988). Correct glycosylation, Golgi-processing, and targeting to protein bodies of the vacuolar protein phytohemagglutinin in transgenic tobacco. *Planta* 175:170-183.
128. Faye, L. and M.J. Chrispeels. (1988). Common antigenic determinants in the glycoproteins of plants, molluscs and insects. *Glycoconjugate J.* 5:245-256.
129. Lauriere, C., M. Lauriere, A. Sturm, L. Faye and M.J. Chrispeels. (1988). Characterization of  $\beta$ -fructosidase, an extracellular glycoprotein of carrot cells. *Biochimie* 70:1483-1491.
130. Chrispeels, M.J. (1988). Correct targeting of the vacuolar protein phytohemagglutinin requires active sorting information. *Curr. Top. Plant Biochem. Physiol.* 7:90-100.
131. Voelker, T.A., E.M. Herman and M.J. Chrispeels. (1989). *In vitro* mutated phytohemagglutinin genes expressed in tobacco seeds: role of glycans in protein targeting and stability. *Plant Cell* 1:95-104.
132. Herman, E.M., M.J. Chrispeels and L.M. Hoffman. (1989). Vacuole accumulation of storage protein and lectin expressed in transgenic tobacco seeds. *Cell Biol. Int. Rep.* 13:37-45.
133. Dorel, C., T.A. Voelker, E.M. Herman and M.J. Chrispeels. (1989). Transport of proteins to the plant vacuole is not by bulk flow through the secretory system, and requires positive sorting information. *J. Cell Biol.* 108:327-337.

134. Faye L. and M.J. Chrispeels. (1989). Apparent inhibition of -fructosidase secretion by tunicamycin may be explained by breakdown of the unglycosylated protein during secretion. *Plant Physiol.* 89:845-851.
135. Faye, L., K.D. Johnson, A. Sturm and M.J. Chrispeels. (1989). Structure, biosynthesis, and function of asparagine-linked glycans on plant glycoproteins. *Physiol. Plant* 75:309-314.
136. Riggs, C.D., T.A. Voelker and M.J. Chrispeels. (1989). Cotyledon nuclear proteins bind to DNA fragments harboring regulatory elements of phytohemagglutinin genes. *Plant Cell* 1:609-621.
137. Riggs, C.D., D.C. Hunt, J. Lin, and M.J. Chrispeels. (1989). Utilization of luciferase fusion genes to monitor differential regulation of phytohemagglutinin and phaseolin promoters in transgenic tobacco. *Plant Sci.* 63:47-57.
138. Lauriere, M., C. Lauriere, K.D. Johnson, M.J. Chrispeels and A. Sturm. (1989). Characterization of a xylose-specific antiserum that reacts with the complex asparagine-linked glycans of extracellular and vacuolar glycoproteins. *Plant Physiol.* 90:1182-1188.
139. Sonnewald, U., A. Sturm, M.J. Chrispeels and L. Wilmitzer. (1989). Targeting and glycosylation of patatin, the major potato tuber protein in leaves of transgenic tobacco. *Planta* 179:171-180.
140. Johnson, K.D., E.M. Herman and M.J. Chrispeels. (1989). An abundant highly-conserved tonoplast protein in seeds. *Plant Physiol.* 91:1006-1013.
141. Moreno, J. and M.J. Chrispeels. (1989). A lectin gene encodes the  $\alpha$ -amylase inhibitor of the common bean. *Proc. Natl. Acad. Sci. USA* 86:7885-7889.
142. Tanchak, M.A. and M.J. Chrispeels. (1989). Crosslinking of microsomal proteins identifies P-9000, a protein that is co-transported with phaseolin and phytohemagglutinin in bean cotyledons. *Planta* 179:495-505.
143. Moreno, J., T. Altabella and M.J. Chrispeels. (1990). Characterization of  $\alpha$ -amylase inhibitor, a lectin-like protein in the seeds of *Phaseolus vulgaris*. *Plant Physiol.* 92:703-709.
144. Voelker, T.A., C.D. Daniels and M.J. Chrispeels. (1989). Molecular analysis of the genes for phytohemagglutinin and their expression in developing seeds of the bean (*Phaseolus vulgaris*) and transgenic tobacco. In: *The Molecular Basis of Plant Development*. Alan R. Liss, Inc. pp. 133-141.

145. Voelker, T.A., J. Moreno and M.J. Chrispeels. (1990). Expression analysis of a pseudogene in transgenic tobacco: a frameshift mutation prevents mRNA accumulation. *Plant Cell* 2:255-261.
146. Tague, B.W., C. Dorel, T.A. Voelker, A. Sturm and M.J. Chrispeels. (1990). Identification of a vacuolar targeting domain using transgenic yeast and tobacco. In: *Plant Gene Transfer*. Alan R. Liss, Inc. pp. 225-235.
147. Riggs, C.D. and M.J. Chrispeels. (1990). The expression of phytohemagglutinin genes in *Phaseolus vulgaris* is associated with organ-specific DNA-methylation patterns. *Plant Mol. Biol.* 14:629-632.
148. Altabella, T. and M.J. Chrispeels. (1990). Tobacco plants transformed with the  $\alpha$ ai gene express an inhibitor of insect  $\alpha$ -amylase in their seeds. *Plant Physiol.* 93:805-810.
149. Tague, B.W., C.D. Dickinson and M.J. Chrispeels. (1990). A short domain of the plant vacuolar protein phytohemagglutinin targets invertase to the yeast vacuole. *Plant Cell* 2:533-546.
150. Johnson, K.D., H. Höfte and M.J. Chrispeels. (1990). An intrinsic tonoplast protein of protein storage vacuoles in seeds is structurally related to a bacterial solute
151. Herman, E.M., B.W. Tague, L.M. Hoffman, S.E. Kjemtrup and M.J. Chrispeels. (1990). Retention of phytohemagglutinin with carboxyterminal tetrapeptide KDEL in the nuclear envelope and the endoplasmic reticulum. *Planta* 182:305-312.
152. Chrispeels, M.J. and B.W. Tague. (1990). Transport and targeting of proteins to protein storage vacuoles (protein bodies) in developing seeds. In: *Recent Advances in Development and Germination of Seeds*. Taylorson, R.B., ed. Plenum Publishing Corp., New York. pp. 135-190.
153. Chrispeels, M.J. and B.W. Tague. (1990). Protein sorting in the secretory system of plant cells. *Intl. Rev. Cytol.* 125:1-45.
154. Sturm, A. and M.J. Chrispeels. (1990). cDNA cloning of carrot extracellular  $\beta$ -fructosidase and its expression in response to wounding and bacterial infection. *Plant Cell* 2:1107-1119.
155. Dickinson, C.D., T. Altabella and M.J. Chrispeels. (1991). Slow-growth phenotype of transgenic tomato expressing apoplastic invertase. *Plant Physiol.* 95:420-425.
156. Chrispeels, M.J. and N.V. Raikhel. (1991). Lectins, lectin genes and their role in plant defense. *Plant Cell* 3:1-9.
157. Chrispeels, M.J., C.D. Dickinson, B.W. Tague, D.C. Hunt, and A. von Schaewen. (1991). Defining the vacuolar targeting signal of phytohemagglutinin. In: *Plant*

*Molecular Biology*, Vol. 212. Herrmann, R. and B. Larkins, eds. NATO ASI Series A Life Sciences. pp. 575-582.

158. Chrispeels, M.J. (1991). Sorting of proteins in the secretory system. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 42:21-53.
159. Hunt, D.C. and M.J. Chrispeels. (1991). The signal peptide of a vacuolar protein is necessary and sufficient for the efficient secretion of a cytosolic protein. *Plant Physiol.* 96:18-25.
160. Höfte, H., L. Faye, C. Dickinson, E.M. Herman and M.J. Chrispeels. (1991). The protein-body proteins phytohemagglutinin and tonoplast intrinsic protein are targeted to vacuoles in leaves of transgenic tobacco. *Planta* 184:431-437.
161. Pao, G.M., L.-F. Wu, K.D. Johnson, H. Höfte, M.J. Chrispeels, G. Sweet, N.N. Sandal and J.M.H. Saier. (1991). Evolution of the MIP family of integral membrane transport proteins. *Mol. Micro.* 5:33-37.
162. Huesing, J.E., R.E. Shade, M.J. Chrispeels and L.L. Murdock. (1991).  $\alpha$ -Amylase inhibitor, not phytohemagglutinin, explains resistance of common bean seeds to cowpea weevil. *Plant Physiol.* 96:993-996.
163. Benhamou, N., J. Grenier and M.J. Chrispeels. (1991). Accumulation of  $\beta$ -fructosidase in the cell walls of tomato roots following infection with a fungal wilt pathogen. *Plant Physiol.* 97:739-750.
164. Chrispeels, M.J. and N.V. Raikhel. (1991). Lectins, lectin genes and plant defense. In: *Lectin Reviews*, Vol. 1. Kilpatrick, D.D., E. van Driessche and T.C. Bøg-Hansen, eds. Sigma Chemical Company, St. Louis, MO. pp. 183-194.
165. Chrispeels, M.J. and A. von Schaewen. (1992). Sorting of proteins in the secretory system of plant cells. *Antonie van Leeuwenhoek* 61:161-165.
166. Vitale, A. and M.J. Chrispeels. (1992). Sorting of proteins to the vacuoles of plant cells. *BioEssays* 14:151-159.
167. Chrispeels, M.J. and N.V. Raikhel. (1992). Short peptide domains target proteins to plant vacuoles. *Cell* 68:613-616.
168. Höfte, H., D. Ludevid, L. Hubbard and M.J. Chrispeels. (1992). Vegetative and seed-specific isoforms of a putative solute transporter in the tonoplast of *Arabidopsis thaliana*. *Plant Physiol.* 99:561-570.
169. Höfte, H. and M.J. Chrispeels. (1992). Protein sorting to the vacuolar membrane. *Plant Cell* 4:995-1004.

170. Chrispeels, M.J. (1992). Changing of the guard. *Plant Physiol.* 99:797-798.
171. Satoh, S., A. Sturm, T. Fujii and M.J. Chrispeels. (1992). cDNA cloning of an extracellular dermal glycoprotein of carrot and expression in response to wounding. *Planta* 188:432-438.
172. Chrispeels, M.J. and A. Staehelin. (1992). Budding fission, transport, targeting, fusion — frontiers in secretion research. *Plant Cell* 4:1008-1016.
173. Johnson, K.D. and M.J. Chrispeels. (1992). Tonoplast-bound protein kinase phosphorylates tonoplast intrinsic protein. *Plant Physiol.* 100:1787-1795.
174. Ludevid, D., H. Höfte, E. Himelblau and M.J. Chrispeels. (1992). The expression pattern of the tonoplast intrinsic protein  $\gamma$ -TIP in *Arabidopsis thaliana* is correlated with cell enlargement. *Plant Physiol.* 100:1633-1639.
175. von Schaewen, A. and M.J. Chrispeels. (1993). Identification of vacuolar sorting information in phytohemagglutinin, an unprocessed vacuolar protein. *J. Exp. Bot.* 44, Suppl.:339-342.
176. Faye, L., V. Gomord, A.-C. Fitchette-Lainé and M.J. Chrispeels. (1993). Affinity purification of antibodies specific for Asn-linked glycans containing  $\alpha$ 1 $\rightarrow$ 2 xylose. *Anal. Biochem.* 209:104-108.
177. Pueyo, J.J., D.C. Hunt and M.J. Chrispeels. (1993). Activation of bean (*Phaseolus vulgaris*)  $\alpha$ -amylase inhibitor requires proteolytic processing of the proprotein. *Plant Physiol.* 101:1341-1348.
178. Maurel, C., J. Reizer, J.I. Schroeder and M.J. Chrispeels. (1993). The vacuolar membrane protein  $\gamma$ -TIP creates water specific channels in *Xenopus* oocytes. *EMBO J.* 12:2241-2247.
179. von Schaewen, A., A. Sturm, J. O'Neill and M.J. Chrispeels. (1993). Isolation of a mutant *Arabidopsis* plant that lacks N-acetyl glucosaminyl transferase I and is unable to synthesize Golgi-modified complex N-linked glycans. *Plant Physiol.* 102:1109-1118.
180. Gomez, L. and M.J. Chrispeels. (1993). Tonoplast and soluble vacuolar proteins are targeted by different mechanisms. *Plant Cell* 5:1113-1124.
181. Mirkov, T.E. and M.J. Chrispeels. (1993). Mutation of Asn<sup>128</sup> to Asp of *Phaseolus vulgaris* leucoagglutinin (PHA-L) eliminates carbohydrate binding and biological activity. *Glycobiology* 3:581-588.
182. Agre, P., S. Sasaki and M.J. Chrispeels. (1993). Aquaporins — A family of water channel proteins. *Am. J. Physiol.* 265:F461.

183. Maurel, C., J. Reizer, J.I. Schroeder, M.J. Chrispeels and M.H. Saier Jr. (1994). Functional characterization of the *Escherichia coli* glycerol facilitator GlpF in *Xenopus* oocytes. *J. Biol. Chem.* 269:11869-11872.
184. Gomez, L. and M.J. Chrispeels. (1994). Complementation of an *Arabidopsis thaliana* mutant that lacks complex asparagine-linked glycans with the human gene encoding N-acetylglucosaminyl transferase I. *Proc. Natl. Acad. Sci. USA* 91:1829-1833.
185. Dombrowski, J.E., L. Gomez, M.J. Chrispeels and N.V. Raikhel. (1994). Targeting of proteins to vacuoles. In: *Plant Molecular Biology Manual*. Gelvin, S.B., R.A. Schilperoort and D.P.S. Verma, eds. Kluwer Academic Publishers, Belgium, J3:1-29.
186. Mirkov, T.E., J.J. Pueyo, J. Mayer, S. Kjemtrup, C. Cardona and M.J. Chrispeels. (1994). Molecular and functional analysis of  $\alpha$ -amylase inhibitor genes and proteins in the common bean *Phaseolus vulgaris*. In: *Proceedings of Bean Advanced Research Network Workshop*. Roca, W.M., ed. CIAT, Cali, Columbia pp. 296-304.
187. Chrispeels, M.J. and C. Maurel. (1994). Aquaporins: the molecular basis of hydraulic water movement between cells? *Plant Physiol.* 105:9-13.
188. Maurel, C., H. Höfte, K.D. Johnson and M.J. Chrispeels. (1994). Aquaporins: water channel proteins in the tonoplast of plant cells. In: *Plant Molecular Biology. Molecular Genetic Analysis of Plant Development and Metabolism*. Coruzzi, G. and P. Puigdomènech, eds. NATO ASI Series H: Cell Biology 81, pp. 481-490.
189. Chrispeels, M.J. (1994). Vacuolar protein targeting. In: *The Past, Present and Future of Plant Biology*. Ho, T.D. and H. Pakrasi, eds. Department of Biology, Washington University, pp. 14-24.
190. Shade, R.E., H.E. Schroeder, J.J. Pueyo, L.M. Tabe, L.L. Murdock, T.J.V. Higgins and M.J. Chrispeels. (1994). Transgenic peas expressing the  $\alpha$ -amylase inhibitor of the common bean are resistant to bruchid beetles. *Bio/Technology* 12:793-796.
191. Chrispeels, M.J. and P. Agre. (1994). Aquaporins: Water channel proteins of plant and animal cells. *TIBS* 19:421-425.
192. Welters, P., K. Takegawa, S.D. Emr and M.J. Chrispeels. (1994). AtVPS34, a phosphatidyl 3-kinase of *Arabidopsis thaliana* is an essential protein with homology to a calcium-dependent lipid binding (CaLB) domain. *Proc. Natl. Acad. Sci. USA* 91:11398-11402.
193. Daniels, M.J., T.E. Mirkov, J.I. Schroeder and M.J. Chrispeels. (1994). The plasma membrane of *Arabidopsis thaliana* contains a mercury-insensitive aquaporin that is a homolog of the tonoplast water channel protein TIP. *Plant Physiol.* 106:1325-1333.

194. Mirkov, T.E., J.E. Wahlstrom, K. Hagiwara, F. Finardi-Filho, S. Kjemtrup and M.J. Chrispeels. (1994). Evolutionary relationships among proteins in the phytohemagglutinin-arcelin- $\alpha$ -amylase inhibitor family of the common bean and its relatives. *Plant Mol. Biol.* 26:1103-1113.
195. Kjemtrup, S., E.M. Herman and M.J. Chrispeels. (1994). Correct posttranslational modification and stable vacuolar accumulation of phytohemagglutinin engineered to contain multiple methionine residues. *Eur. J. Biochem.* 226:385-391.
196. Mirkov, T.E., S.V. Evans, J. Wahlstrom, L. Gomez, N.M. Young and M.J. Chrispeels. (1995). Location of the active site of the bean  $\alpha$ -amylase inhibitor and involvement of a Trp, Arg, Tyr triad. *Glycobiology* 5:45-50.
197. Pueyo, J.J., M.J. Chrispeels and E.M. Herman. (1995). Degradation of a secretory protein with a destabilizing epitope occurs in the vacuole. *Planta* 196:586-596.
198. Schroeder, H.E., S. Gollasch, A. Moore, L.M. Tabe, S. Craig, D. Hardie, M.J. Chrispeels, D. Spencer and T.J.V. Higgins. (1995). Bean  $\alpha$ -amylase inhibitor confers resistance to the pea weevil, *Bruchus pisorum*, in genetically engineered peas (*Pisum sativum* L.). *Plant Physiol.* 107:1233-1239.
199. Chrispeels, M.J., P.J. Green and J.G. Nasrallah. (1995). Plant cell biology comes of age. *Plant Cell* 7:237-248.
200. Pueyo, J.J., T.D. Morgan, N. Ameenuddin, C. Liang, G.R. Reeck, M.J. Chrispeels and K.J. Kramer. (1995). Effects of bean and wheat  $\alpha$ -amylase inhibitors on  $\alpha$ -amylase activity and growth of stored product insect pests. *Entomol. exp. Appl.* 75:237-244.
201. Maurel, C., R.T. Kado, J. Guern and M.J. Chrispeels. (1995). Phosphorylation regulates the water channel activity of the seed-specific aquaporin  $\alpha$ -TIP. *EMBO J.* 14:3028-3035.
202. Kjemtrup, S., O. Borkhsenius, N.V. Raikhel and M.J. Chrispeels. (1995). Targeting and release of phytohemagglutinin from the roots of bean seedlings. *Plant Physiol.* 109:603-610.
203. Chrispeels, M.J. (1995). Aquaporins: water channel proteins in the plasma membrane and the tonoplast. In: *Current Plant Science and Biotechnology in Agriculture*, vol. 22. Terzi, M., R. Cella and A. Flavigna, eds. Kluwer, Dordrecht, pp. 623-631.
204. Doa-Thi, M-H., T.W. Hamelryck, F. Poortmans, T.A. Voelker, M.J. Chrispeels and L. Wyns. (1996). Crystallization of phytohemagglutinin-L. *Proteins* 24:134-137.
205. Ishimoto, M., T. Sato, M.J. Chrispeels and K. Kitamura. (1996). Bruchid resistance of transgenic azuki bean expressing seed  $\alpha$ -amylase inhibitor of common bean. *Entomol. exp. Appl.* 79:309-315.
206. Fory, L.F., F. Finardi-Filho, C.M. Quintero, T.C. Osborn, C. Cardona, M.J. Chrispeels and J.E. Mayer. (1996).  $\alpha$ -Amylase inhibitors in resistance of common

- beans to the Mexican bean weevil and the bean weevil. *J. Econ. Entomol.* 89:204-210.
207. Daniels, M.J., F. Chaumont, T.E. Mirkov and M.J. Chrispeels. (1996). Characterization of a new vacuolar membrane aquaporin sensitive to mercury at a unique site. *Plant Cell* 8:587-599.
208. Garcia-Cassado, G., R. Sanchez-Monge, M.J. Chrispeels, A. Armentia, G. Salcedo and L. Gomez. (1996). Role of complex asparagine-linked glycans in the allergenicity of plant glycoproteins. *Glycobiology* 6:471-477.
209. Ishimoto, M. and M.J. Chrispeels. (1996). Protective mechanism of the Mexican bean weevil against high levels of  $\alpha$ -amylase inhibitor in the common bean, *Phaseolus vulgaris*. *Plant Physiol.* 111:393-401.
210. Finardi-Filho, F., T.E. Mirkov and M.J. Chrispeels. (1996). A putative precursor protein in the evolution of the bean  $\alpha$ -amylase inhibitor. *Phytochemistry* 43:57-62.
211. Chrispeels, M.J. and L. Faye. (1996). The production of recombinant glycoproteins with defined non-immunogenic glycans. In: *Transgenic Plants. A Production System for Industrial and Pharmaceutical Proteins*. Owen, M.R.L. and J. Pen, eds. Wiley & Sons, Inc., London, pp. 99-113.
212. Hamelryck, T.W., D.-T. Minh-Hoa, F. Poortmans, M.J. Chrispeels, L. Wyns and R. Loris. (1996). The crystallographic structure of phytohemagglutinin-L. *J. Biol. Chem.* 271:20479-20485.
213. Chrispeels, M.J. (1996). Plant physiology has become plant biology, a cross-disciplinary science. *Plant Physiol.* 112:1-2.
214. Hohl, I., D.G. Robinson, M.J. Chrispeels and G. Hinz (1996). Transport of vacuolar storage proteins is mediated by vesicles without clathrin coat. *J. Cell Sci.* 109:2539-2550.
215. Maurel, C., M.J. Chrispeels, C. Lurin, F. Tacnet, D. Geelin, P. Ripoche and J. Guern. (1997). Function and regulation of plant seed aquaporins. *J. Exp. Botany* 48 S1:421-430.
216. Chrispeels, M.J., M.J. Daniels and A. Weig. (1997). Aquaporins and water transport across the tonoplast. In: *The Plant Vacuole*. Leigh, R.A. and D. Sanders, eds. Academic Press, San Diego, pp. 419-432.
217. Chrispeels, M.J. (1997). Transfer of bruchid resistance from the common bean to other starchy grain legumes by genetic engineering with the  $\alpha$ -amylase inhibitor gene. In: *Advances in Insect Control: The Role of Transgenic Plants*. Carozzi, N. and M. Koziel, eds. Taylor and Francis, pp. 139-156.
218. Grossi de Sa, M.F. and M.J. Chrispeels (1997). Molecular cloning of bruchid (*Zabrotes subfasciatus*)  $\alpha$ -amylase cDNA and interactions of the expressed enzyme with bean  $\alpha$ -amylase inhibitors. *J. Insect Biochem. Mol. Biol.* 27:271-281.

219. Weig, A., C. Deswarthe and M.J. Chrispeels (1997). The Major Intrinsic Protein family of *Arabidopsis* has 23 members that form three distinct groups with functional aquaporins in each group. *Plant Physiol.* 114:1347-1357.
220. Chaumont, F., W.F. Loomis and M.J. Chrispeels (1997). Expression of an *Arabidopsis* plasma membrane aquaporin in *Dictyostelium* results in hypo-osmotic sensitivity and developmental abnormalities. *Proc. Natl. Acad. Sci. USA* 94:6202-6209.
221. Chrispeels, M.J. (1997). *Joseph E. Varner, 1921 - 1995*. Biographical Memoirs, Vol. 72, The National Academy Press, Washington, D.C.
222. Grossi de Sa, M.F., T.E. Mirkov, M. Ishimoto, G. Colucci, K.S. Bateman and M.J. Chrispeels (1997). Molecular characterization of a bean  $\alpha$ -amylase inhibitor that inhibits the  $\alpha$ -amylase of the Mexican bean weevil *Zabrotes subfasciatus*. *Planta* 203:295-303.
223. Chrispeels, M.J. (1997). Changing technologies with a constant goal: finding out how plants function. *Plant Physiol.* 114:399-400.
224. Johansson, I., M. Karlsson, V.K. Shukla, M.J. Chrispeels, C. Larsson and P. Kjellbom. (1998). Water transport activity of the plasma membrane aquaporin PM28A is regulated by phosphorylation at two different sites. *Plant Cell* 10:451-460.
225. Shukla, V.K. and M.J. Chrispeels. (1998). *Aquaporins: their role and regulation in cellular water movement. NATO-ASI Series, subseries H. Cellular integration of signaling pathways in plant development.* pp.11-22. Springer-Verlag.
226. Chrispeels, M.J., M.F. Grossi de Sa, M.F. and T.J.V. Higgins (1998). Genetic engineering with  $\alpha$ -amylase inhibitors makes seeds resistant to bruchids. *Seed Sci. Res.* 8:257-263.
227. Chaumont, F., F. Barrieu, E.M. Herman and M.J. Chrispeels. (1998). Characterization of a maize tonoplast aquaporin expressed in zones of cell division and elongation. *Plant Physiol.* 117:1143-1152.
228. Barrieu, F., F. Chaumont and M.J. Chrispeels. (1998). High expression of the tonoplast aquaporin ZmTIP1 in conducting tissues of maize. *Plant Physiol.* 117:1153-1163.
229. Chrispeels, M.J. and L. Faye (1998). Rien ne sert de produire, il faut glycosyler. *Biofutur* 184:53-57.
230. Chrispeels, M.J., U. Sonnewald and A. Vitale (1998). Piante transgeniche e loro applicazioni nelle agrobiotecnologie. In: *Frontiere Della Vita*, vol. 1, pp. 663-688. Istituto Della Enciclopedia Italiana, Rome, Italy.
231. Colucci, G., J.G. Moore, M. Feldman and M.J. Chrispeels (1999). cDNA cloning of FRIL, a lectin of *Dolichos lablab*, that preserves hematopoietic stem cells in suspension culture. *Proc. Natl. Acad. Sci. USA* 96:646-650.

232. Young, M.N., P. Thibault, D.C. Watson and M.J. Chrispeels (1999). Post-translational processing of two  $\alpha$ -amylase inhibitors and an arcelin from the common bean, *Phaseolus vulgaris*. FEBS Lett. 446:203-206.
233. Chrispeels, M.J., N.M. Crawford and J.I. Schroeder (1999). Proteins for transport of water and mineral nutrients across the membranes of plant cells. Plant Cell. 11:661-675.
234. Machuka, J.S., O.G. Okeola, J.M. Van Damme Els, M.J. Chrispeels, F. Van Leuven and W.J. Peumans (1999). Isolation and partial characterisation of galactose-specific lectins from African yam beans, *Sphenostyles stenocarpa* Harms. Phytochemistry 51:721-728.
235. Pusztai, A., G. Grant, S. Bardocz, R. Alonso, M.J. Chrispeels, H.E. Schroeder, L.M. Tabe and T.J.V Higgins (1999). Expression of the insecticidal bean  $\alpha$ -amylase inhibitor transgene has minimal detrimental effect on the nutritional value of peas fed to rats at 30% of the diet. J. Nutr. 129:1597-1603.
236. Herman, E.M., M.J. Chrispeels, B.A. Larkins and G. Galili (1999). Degradation of posttranslationally unstable proteins in transgenic plants utilizes multiple pathways to the vacuole. In: *Plant Biotechnology and In Vitro Biology in the 21st Century*. A. Altman, S. Izhar and M. Ziv, Eds. Kluwer Academic Publishers. pp 401-406.
237. Barrieu, F. and M.J. Chrispeels. (1999) Delivery of a secreted soluble protein to the vacuole via a membrane anchor. Plant Physiol. 120:961-968.
238. Chrispeels, M.J., L. Holuigue, R. Latorre, S. Luan, A. Orellana, H. Peña-Cortés, N.V. Raikhel, P.C. Ronald and A. Trewavas (1999). Signal transduction networks and the biology of plant cells. Biol. Res. 32:35-60.
239. Chrispeels, M.J. (1999). The glycobiology of plant cells. In: *Essentials of Glycobiology*. Varki, A., R. Cummings, J. Esko, H. Freeze, G. Hart and J. Marth, eds. Cold Spring Harbor Laboratory Press, New York, pp. 305-319.
240. Koizumi, N., T. Ujino, H. Sano and M.J. Chrispeels (1999). Overexpression of a gene that encodes the first enzyme in the biosynthesis of Asn-linked glycans makes plants resistant to tunicamycin and obviates the tunicamycin-induced unfolded protein response. Plant Physiol. 121: 353-361.
241. Daniels, M.J., M.J. Chrispeels and M. Yaeger (1999). Projection structure of plant vacuole membrane aquaporin by electron cryo-crystallography. J. Mol. Biol. 294: 1337-1349.
242. Paes, N., I. Gerhardt, M.V. Coutinho, M. Yokoyama, E. Santana, N. Harris, M.J. Chrispeels and M.F. Grossi de Sa (2000). The effect of arcelin-1 on the structure of the midgut of bruchid larvae and immunolocalization of the arcelin protein. J. Insect Physiol. 46: 393-402.

243. Gerhardt, I.R., N.S. Paes, C. Bloch, P.A.M. Mendes, A. Leite, M.J. Chrispeels, M.F. Grossi de Sa (2000). Molecular characterization of a new arcelin-5 gene. *Biochim. Biophys. Acta* 1490: 87-98.
244. Valencia, A., A.E. Bustillo, G.E. Ossa and M.J. Chrispeels (2000).  $\alpha$ -amylases of the coffee berry borer (*Hypothenemus hampei*) and their inhibition by two plant amylase inhibitors. *Insect Biochem. Mol. Biol.* 30: 207-213.
245. Chaumont, F., F. Barrieu, R. Jung and M.J. Chrispeels (2000). Plant membrane MIP proteins from maize cluster in two sequence subgroups with differential aquaporin activity. *Plant Physiol.* 122: 1025-1034.
246. Morton, R.L., H.E. Schroeder, K.S. Bateman, M.J. Chrispeels, E. Armstrong and T.J.V. Higgins (2000). Bean  $\alpha$ -amylase inhibitor 1 and 2 in transgenic peas (*Pisum sativum*) provide differential control of pea weevil (*Bruchus pisorum*) under field conditions. *PNAS* 97: 3820-3825.
247. Da Silva, M.C.M., M.F. Grossi de Sa, M.J. Chrispeels, R.C. Togawa and G. Nesich (2000). Analysis of structural and physico-chemical parameters involved in the specificity of binding between  $\alpha$ -amylases and their inhibitors. *Protein Engineering* 13: 167-177.
248. Machuka, J.S., O.G. Okeola, M.J. Chrispeels and L.E.N. Jackai (2000). The African yam bean seed lectin affects the development of the cowpea weevil but does not affect the development of larvae of the legume pod borer. *Phytochemistry* 53: 667-674.
249. Hamelryck, T.W., J.G. Moore, M.J. Chrispeels, R. Loris and L. Wyns (2000). The role of weak protein-protein interactions in multivalent lectin-carbohydrate binding: crystal structure of cross-linked FRIL. *J. Mol. Biol.* 299: 875-883.
250. Chrispeels, M.J. (2000). Impact factors and citation rates in *Plant Physiology*. *Plant Physiol.* 123: 791-793.
251. Chrispeels, M.J. and E. Herman (2000). Endoplasmic reticulum-derived compartments function in storage and as mediators of vacuolar remodeling via a new type of organelle, precursor protease vesicles. *Plant Physiol.* 123: 1227-1233.
252. Chrispeels, M.J. (2000). Biotechnology and the poor. *Plant Physiol.* 124: 3-6.
253. Raikhel, N. and M.J. Chrispeels (2000). Protein targeting and vesicle traffic. In: *Plant Biochemistry and Molecular Biology*. R. Buchanan, W. Gruissem, and R.L. Jones, eds., pp. 160-201.
254. Moore, J.G., C.A. Fuchs, Y.S. Hata, D.J. Hicklin, G. Colucci, M.J. Chrispeels and M. Feldman (2000). A new lectin in red kidney beans called PvFRIL stimulates

proliferation of NIH 3T3 cells expressing the Flt3 receptor. *Biochim. Biophys. Acta* 1475: 216-224.

255. Titarenko, E. and M.J. Chrispeels (2000). cDNA cloning, biochemical characterization and inhibition by plant inhibitors of the  $\alpha$ -amylases of the Western Corn Rootworm, *Diabrotica virgifera virgifera*. *Insect Biochem. Mol. Biol.* 30: 979-990.
256. Dordas, C., Chrispeels, M.J. and Brown, P.H. (2000). Permeability and channel-mediated transport of boric acid across plant membrane vesicles isolated from squash (*Cucurbita pepo*) roots. *Plant Physiol.* 124: 1349-1361.
257. Maurel, C. and M.J. Chrispeels (2001). Aquaporins. A molecular entry into plant water relations. *Plant Physiol.* 125: 135-138.
258. Chaumont, F., F. Barrieu, E. Wojcik, M.J. Chrispeels and R. Jung (2001). Aquaporins constitute a large and highly divergent protein family in maize. *Plant Physiol.* 125: 1206-1215.
259. Chrispeels, M.J., R. Morillon, C. Maurel, P. Gerbeau, P.Kjellbom and I. Johansson (2001). Aquaporins of plants: structure, function, regulation and role in plant water relations. *Current Topics in Membranes* 51: 277-334.
260. Chrispeels, M.J. (2001). Foods from Genetically Modified Crops. 16pp. Published by the San Diego Center for Molecular Agriculture. February 2001.
261. Koizumi, N, I Martinez, Y Kimata, K Kohno, H. Sano and M. J. Chrispeels (2001) Molecular characterization of two *Arabidopsis* Ire1 homologs, endoplasmic reticulum located transmembrane protein kinases. *Plant Physiol.* , in press
262. Morillon, R., D Lienard, M.J. Chrispeels and J-P Lasalles (2001) Rapid movements of plant organs require solute-water co-transporters or contractile proteins. *Plant Physiol.*, in press.
263. Morillon, R. and M.J. Chrispeels (2001). The role of ABA and the transpiration stream in the regulation of the osmotic water permeability of leaf cells. *Proc. Natl. Acad. Sci. USA* 98: 14138-14143.
264. Ciavatta, V.T., R. Morillon, G.S. Pullman, M.J. Chrispeels and J. Cairney (2001). An aquaglyceroporin is abundantly expressed early in the development of the suspensor and the embryo proper of loblolly pine. *Plant Physiol.* 127: 1556-1567.
265. M.J. Chrispeels (2001). Foods from Genetically Improved Crops in Africa. Published by the San Diego Center for Molecular Agriculture. November 2001. Public Information Publication. (Translated in French, Spanish, Italian, Japanese and Croatian)

266. Chrispeels, M.J. and U. Sonnewald (2001). Plant transformation and its application to agricultural biotechnology, in *Frontiers of Life, Vol. 1, The Origins of Life* (James E. Dahlberg and Glauco Tocchini-Valentini, eds.). San Diego: Academic Press.
267. Colucci, G., Alyeshmerni, N., Chalmers, D., and Chrispeels, M.J. (2002). GCR1, the gene encoding the heterotrimeric G-protein coupled receptor of *Arabidopsis* is cell cycle regulated and its overexpression increases cell division, abolishes seed dormancy and shortens time to flowering. *PNAS* 99: 4736-4741.
268. Chrispeels, M.J. (2002). Securing the harvest in Africa. *Trends in Plant Sciences* 7: 187. (Book Review)
269. Chrispeels, M.J. and D. Sadava (2002). *Plants, Genes and Crop Biotechnology*. Jones & Bartlett Publishers, Sudbury, MA, 576 pp.
270. Chrispeels, M.J. and D. Sadava (2002). Development, productivity, and sustainability of crop production. In: *Plants, Genes and Crop Biotechnology*. Chrispeels, M.J. and D. Sadava, eds. Jones & Bartlett Publishers, Sudbury, MA, pp. 52-75.
271. Higgins, T.J. and M.J. Chrispeels (2002). Plants in human nutrition and animal feed. In: *Plants, Genes and Crop Biotechnology*. Chrispeels, M.J. and D. Sadava, eds. Jones & Bartlett Publishers, Sudbury, MA, pp. 152-181.
272. Chrispeels, M.J. (2002). The genetic basis of growth and development. In: *Plants, Genes and Crop Biotechnology*. Chrispeels, M.J. and D. Sadava, eds. Jones & Bartlett Publishers, Sudbury, MA, pp. 182-211.
273. Chrispeels, M.J. (2002). Life together in the underground. In: *Plants, Genes and Crop Biotechnology*. Chrispeels, M.J. and D. Sadava, eds. Jones & Bartlett Publishers, Sudbury, MA, pp. 304-327.
274. Ohlrogge, J. and M.J. Chrispeels (2002). Plants as chemical and pharmaceutical factories. In: *Plants, Genes and Crop Biotechnology*. Chrispeels, M.J. and D. Sadava, eds. Jones & Bartlett Publishers, Sudbury, MA, pp. 500-527.
275. Martre, P., R. Morillon, F. Barrieu, G.B. North, P.S. Nobel, and M.J. Chrispeels (2002) Plasma membrane aquaporins play a significant role during recovery from water deficit. *Plant Physiol.*, 130: 1-10.
276. Zardoya, R., X. Ding, Y. Kitagawa, and M.J. Chrispeels, (2002). Origin of plant glycid transporters by horizontal gene transfer and functional replacement. *Proc. Natl. Acad. Sci. USA* 99: 14893-14896.
277. Beachy et al (2002). Divergent perspectives on GM food. *Nature Biotechnology* 20: 1195-1196.

278. Martinez, I.M., M.J. Chrispeels, (2003). Genomic analysis of the unfolded protein response in *Arabidopsis* shows its connection to important cellular processes. *The Plant Cell*, Vol. 15, 1-16.
279. Apone, F., N. Alyeshmerni, K. Wiens, D. Chalmers, M.J. Chrispeels and G. Colucci. (2003) The G-protein coupled receptor GCR1 and the  $\alpha$ -subunit of the heterotrimeric G-protein GPA1 regulate cell division through activation of phosphatidylinositol-specific phospholipase C (PI-PLC). *Plant Physiol.* 133: 571-579.
280. Sarmah, B. K., S. A. Moore, W. Tate, L. Molvig, R. L. Morton, D. P. Rees, P. Chiaiese, M.J. Chrispeels, L.M. Tabe and T.V. Higgins, (2004) Transgenic chickpea seeds expressing high levels of a bean  $\alpha$ -amylase inhibitor. *Molecular Breeding*, Vol. 14, 73-82.
281. Chrispeels, M. J., and D. Mandoli (2003) Agricultural Ethics *Plant Physiology* 132: 4-9.
282. Aroca, R., G. Amodeo, S. Fernandez-Illescas, E.M. Herman, F. Chaumont and M. J. Chrispeels (2005) The roles of aquaporins and membrane damage in chilling and hydrogen peroxide induced changes in the hydrodraulic conductance of maize roots. *Plant Physiology* 137: 341-352
283. Chrispeels (2005) Harry Beevers 1924-2004. *Biographical Memoirs* 36 National Academy of Sciences USA
284. Chrispeels, M.J. (2005) L'agricoltura del nuovo millennio mette radici nella genomica. *Darwin March/April* 64-73.
285. Chrispeels, M.J. (2006) David Bonner 1916-1964. *Biographical Memoirs*, National Academy of Sciences, Vol. 88.